




Knowledge grows

Blueberry Crop Nutrition Fertigation Programme



Growth Stage	Planting	Vegetative Growth	Flowering	Fruit Set	Mid Fruit Growth	Fruiting / Post Harvest
YaraLiva™ YaraTera™ YaraTera™ YaraTera™ YaraTera™ Analytical Tools	CALCINIT (15.5% N 26.3% CaO) 6.25kg / 250l stock		CALCINIT (15.5% N 26.3% CaO) 5 kg / 250l stock			
	KRISTALON LILAC LABEL (20-8-8) 25kg / 250l stock		KRISTALON ORANGE (6-12-36) 6.25kg / 250l stock			
			KRISTA K PLUS (13.7% N 46.3% K₂O) 6.25kg / 250l stock			
			KRISTA MAG (11% N 15% MgO) 6.25kg / 250l stock			
			REXOLIN Q15 (7% Fe) 3.5l / 250l stock			
	Water and Substrate Analysis - to identify limiting nutrients		Tissue Analysis - to identify limiting nutrients or deficiencies			

Neutralise high bicarbonate levels in irrigation water with nitric acid (60%) to achieve optimum pH for blueberries of 4.0 - 4.8
 NEVER mix CALCINIT(calcium nitrate) in stock solution with KRISTALON or any fertilizer containing phosphate or sulphur
 Recommendations should be adjusted to baseline water nutrient levels based on analysis
 Stock solution to be diluted 1:100 with irrigation water
 ALWAYS check the pH of applied solution before feeding

Fertigation Products

Analytical tools

Yara Ireland Email: yaraireland@yara.com

Recommendations are based on Yara's field experience and field trial results

Disclaimer: The information contained herein is to the best of Yara's knowledge and belief, accurate.

Recommendations may need to be amended to ensure they comply with NVZ Nmax calculations where relevant.