



Whole Crop Nutrition

Knowledge grows

Imperial units

Whole Crop Silage Fertiliser Programme



Pre-Drilling



Seed Bed



Growth Stage 13 - 20



Growth Stage 21 - 25



Growth Stage 31 - 32

YaraMila™

ACTYVA S *
3.0 cwt/ac
48 unit N /ac
20 unit P /ac
37 unit K /ac
8 unit S /ac

YaraBela™

AXAN
3.5 cwt/ac
95 kg N/ha
13 kg S/ha

YaraVita™

GLYTREL MnP
seed treatment
3-5 litre per tonne seed

MANTRAC PRO
1 l/ha

GRAMITREL
1-3 l/ha

Analytical Tools

Broad Spectrum Soil Analysis
- to identify limiting nutrients

Broad Spectrum Tissue Analysis
- to identify limiting nutrients

Read label before application of any YaraVita product

* Alternative YaraMila NPK+S grades are available as required

** Rate depends on SNS and NMP recommendation

Soil applied products

Foliar applied products

Analytical tools

Yara Ireland Email: yaraireland@yara.com

Recommendations are based on Yara's field experience and field trial results

Disclaimer: The information contained herein is to the best of Yara's knowledge and belief, accurate.

Recommendations may need to be amended to ensure they comply with NVZ Nmax calculations where relevant.



Whole Crop Nutrition

Knowledge grows

Metric units

Whole Crop Silage Fertiliser Programme



Pre-Drilling



Seed Bed



Growth Stage 13 - 20



Growth Stage 21 - 25



Growth Stage 31 - 32

YaraMila™

ACTYVA S *
 350 kg/ha
 56 kg N/ha
 23 kg P/ha
 43 kg K/ha
 9 kg S/ha

YaraBela™

AXAN
 450 kg/ha
 122 kg N/ha
 16 kg S/ha

YaraVita™

GLYTREL MnP
 seed treatment
 3-5 litre per tonne seed

MANTRAC PRO
 1 l/ha

GRAMITREL
 1-3 l/ha

Analytical Tools

Broad Spectrum Soil Analysis
 - to identify limiting nutrients

Broad Spectrum Tissue Analysis
 - to identify limiting nutrients

Read label before application of any YaraVita product

* Alternative YaraMila NPK+S grades are available as required
 ** Rate depends on SNS and NMP recommendation

Soil applied products Foliar applied products Analytical tools

Yara Ireland Email: yaraireland@yara.com

Recommendations are based on Yara's field experience and field trial results

Disclaimer: The information contained herein is to the best of Yara's knowledge and belief, accurate.

Recommendations may need to be amended to ensure they comply with NVZ Nmax calculations where relevant.

